



# **Wetland Restoration as a Climate Change Mitigation Strategy for Water Sustainability in the Kankakee River Watershed**

**a.k.a. Kankakee Project**




## **Changes in Hydrology & Recreational Value**

# Project Team:



Alan F. Hamlet, Surface Water Hydrologist, University of Notre Dame  
Chun-Mei Chiu, Post Doc. Hydrologist, University of Notre Dame  
Diogo Bolster, Groundwater Hydrologist, University of Notre Dame  
Zachary Hanson, PhD. Student Hydrologist, University of Notre Dame  
Kyuhyun Byun, Post Doc. Hydrologist, University of Notre Dame  
David Lampe, USGS Kentucky-Indiana Water Science Center  
Jason McLachlan, Paleobotanist, University of Notre Dame  
Jody Peters, PalEON project manager, University of Notre Dame  
Mark Schurr, Archeologist, Department of Anthropology, University of Notre Dame  
Ralph Grundel, Ornithologist/Ecologist, U.S. Geological Survey, Great Lakes Science Center  
Noel Pavlovic, Botanist/Ecologist, U.S. Geological Survey, Great Lakes Science Center  
Jessica Hellmann, Climate Change Ecologist, University of Minnesota  
Tammy Patterson (ME!), Conservation Ecologist, U.S. Geological Survey, Great Lakes Science Center





**Thank you for funding provided by:**  
**Upper Midwest & Great Lakes Landscape Conservation**  
**Cooperative ,**  
**U.S. Geological Survey-Great Lakes Science Center,**  
**University of Notre Dame**


*RFP: Identify and integrate objectives for waterfowl habitat,  
waterfowl populations, and people.*

*Projects should develop and apply a modeling framework to  
link waterfowl population objectives, habitat objectives, and the  
values of stakeholders.*



# Project Goals:




- Build surface & groundwater models
  - surface water storage
  - groundwater recharge
  - aquifer storage & use
- Couple to ecosystems service models
  - waterfowl production/habitat
  - waterfowl hunter value
  - recreational user value
  - agricultural production
- Identify wetland restoration scenarios
  - improved historic knowledge
  - peer-input
- Assess scenarios
  - at present
  - under climate change projections
- Inform watershed planning efforts to create a resilient, sustainable future!






# Why Kankakee River?

- Once home to Grand Kankakee Marsh
- Hydrology is highly modified system
- Predominantly agricultural landscape
- Some quality remnant wetlands remain
- Wetland restorations completed in watershed
- Potential for National Wildlife Refuge



# Modeling Scheme





# Hydrology Modeling Methods

## Surface Water Model–Variable Infiltration Capacity (VIC)

- Value for surface water storage & recharge to groundwater


## Ground Water Model–MODFLOW

- Water table heights
- Groundwater storage

Surface  
Water

Ground  
Water

### Variable Infiltration Capacity Hydrologic Model




$$\text{Recharge} = Q_2 - ET_2$$


Q<sub>3</sub> = flow into layer 2

ET<sub>2</sub> = evapotranspiration from layer 3

### MODFLOW Groundwater Hydrologic Model




### Daily Recharge/cell



# VIC Surface Water Meteorological Driving Data

- Interpolate weather data from Co-oP, HCN, and PRISM
- Timescale: 1915-present
- Area of interest: Great Lakes states



Chiu, C.-M., A.F. Hamlet, Macro-scale precipitation gauge undercatch corrections for the Midwest and Great Lakes region, 2016, J. of hydrometeorology (In processed) <http://www.crc.nd.edu/~cchiu2/DownloadSite.html>






# Surface Water Balance

- VIC model corrected for spatial variability, precipitation undercatch, & height of wind velocity measurements
- $R^2 = 0.892$  NSE = 0.730 Ratio of means (sim/obs) = 0.862


## Monthly Streamflow



# Climate Change Emissions:

- Emission Scenarios: RCP 2.6, RCP 4.5, RCP 6.0, RCP 8.5
- Multiple General Climate Models (GMCs)
- Downscale to region of interest

Climate  
Change






# Climate Change Simulation:

- Emission Scenarios = RCP 8.5
- Multiple General Climate Models (GMCs) = 31
- Downscale to region of interest (hybrid delta method)


Climate  
Change



# Projected Peak River Flows:

- Projected Period: 2020s
  - 20% increase in peak flow = more small floods

Climate  
Change






# Seasonal Flows:

Climate  
Change


- Projected Period: 2020s
  - More springtime rain events
  - Heavy springtime rain events
  - Decrease in summer/fall rain events



# Projected Peak River Flows:

- Projected Period: 2050s
  - Increase in flooding
  - Annual flood = 40% increase

Climate  
Change






# Seasonal Flows:

- Projected Period: 2050s
  - MORE spring rain events
  - HEAVIER springtime rain events
  - Decrease in summer/fall rain events


Climate  
Change



# Projected Peak River Flows:

- Projected Period: 2080s
  - 50% increase in peak flows
  - **LARGE** Increase in flooding events

Climate  
Change






# Seasonal Flows:

- Projected Period: 2080s
  - Doubling of springtime rain
  - WET, earlier winters
  - Dry summers


Climate  
Change



# Projected Peak River Flows:

- Projected Period: 2080s
  - Present 100 yr flood = new 20 yr flood
  - Present 500 yr flood = new 50 yr flood
  - New 100 yr & 500 yr flood = 25% increase

Climate  
Change





# Wetland Restoration Scenarios

Peer Input

Land-use  
Scenarios

## Peer-identified Scenarios

- Current landcover (no change)
- Historic Pre-settlement land cover
- Chicago Wilderness Green Infrastructure Vision (GIV)
- Upstream, non-prime farmland restoration (vs. riverside)
- Downstream, non-prime farmland restoration (vs. upstream)
  - Marginal and poor farmland
  - Frequently flooded farmland
  - Hydric soils








# Historic Pre-Settlement Scenario

Land-use  
Scenarios

*PaLEON*








# Chicago Wilderness GIV Scenario

Land-use  
Scenarios








# Upstream Non-prime Farmland Scenario


Land-use  
Scenarios





# Downstream Non-prime Farmland Scenario

Land-use  
Scenarios







# Recreational Ecosystem Service Value

## Ecosystem Services

- Based on Natural Capital Project InVEST Recreational Model
  - Predictive Grid (below)








# Recreational Value of Scenarios

Ecosystem  
Services

- Predictors = wetlands, developed & agricultural landcover, population, highways, naturalness, & protected areas





# Conclusions

- Climate Change = higher temperature
- Climate Change in Kankakee = more water, but in large, severe **SPRINGTIME** rainfall events, & dryer, hotter summers
- Current Kankakee basin **NOT** designed for water retention, groundwater recharge, nor flood control
- Wetlands can provide water retention, help reduce flooding & improve water recharge to groundwater
- Conservation lands provide recreational value & opportunity

*Tammy Patterson*

*tpatterson@usgs.gov*